



90F...WN 07



90° 페이스 밀



New




규격	인서트		치수(mm)				중량(Kg)	장착부 볼트
			D	Da	L	ap		
90F4-D40-16R-WN07	WNKU 0704	4	40	16	40	6	0.24	SH M8X1.25X30
90F4-D50-22R-WN07		4	50	22	40	6	0.31	SH M10X1.5X30
90F6-D50-22R-WN07		6	50	22	40	6	0.3	SH M10X1.5X30
90F4-D63-22R-WN07		4	63	22	40	6	0.49	SH M10X1.5X30
90F6-D63-22R-WN07		6	63	22	40	6	0.49	SH M10X1.5X30
90F7-D63-22R-WN07		7	63	22	40	6	0.48	SH M10X1.5X30
90F5-D80-27R-WN07		5	80	27	50	6	0.94	SH M12X1.75X35
90F7-D80-27R-WN07		7	80	27	50	6	0.97	SH M12X1.75X35
90F9-D80-27R-WN07		9	80	27	50	6	0.96	SH M12X1.75X35
90F6-D100-32R-WN07		6	100	32	50	6	1.87	SH M16X2X35
90F8-D100-32R-WN07		8	100	32	50	6	1.92	SH M16X2X35
90F11-D100-32R-WN07		11	100	32	50	6	1.92	SH M16X2X35
90F7-D125-40R-WN07		7	125	40	63	6	2.9	SH M20X2.5X40
90F11-D125-40R-WN07		11	125	40	63	6	2.91	SH M20X2.5X40
90F14-D125-40R-WN07		14	125	40	63	6	2.98	SH M20X2.5X40

	부품	
	스크류	렌치
	DS 50A1211/HG-TS	DTDW-10P


90F...WN 10



90° 페이스 밀



New



규격	인서트		치수(mm)				중량 (Kg)	장착부 볼트
			D	Da	L	ap		
90F4-D50-22R-WN10	WNKU 1006	4	50	22	40	8	0.34	TCS10-40
90F5-D63-22R-WN10		5	63	22	40	8	0.50	LH M10X1.5X25
90F7-D80-27R-WN10		7	80	27	50	8	1.04	SH M12X1.75X35
90F8-D100-32R-WN10		8	100	32	50	8	1.86	LH M16X2X35
90F9-D100-32R-WN10		9	100	32	50	8	1.88	LH M16X2X35
90F12-D125-40R-WN10		12	125	40	63	8	3.09	SH M20X2.5X40

	부품	
	스크류	렌치
	DS 50A1211/HG-TS	DTTW-20

90E...WN 07



90° 엔드 밀



New




Fig.1




Fig.2

규격	인서트		치수(mm)					Fig.
			D	d	L	H	ap	
90E22525W-WN07-L100	WNKU 0704	2	25	25	100	30	6	1
90E22525W-WN07-L150		2	25	25	150	30	6	2
90E23232W-WN07-L110		2	32	32	110	40	6	1
90E23232W-WN07-L160		2	32	32	160	40	6	2
90E33232W-WN07-L110		3	32	32	110	40	6	1
90E33232W-WN07-L160		3	32	32	160	40	6	2
90E34032W-WN07-L115		3	40	32	115	40	6	1
90E34032W-WN07-L200		3	40	32	200	40	6	2
90E44032W-WN07-L115		4	40	32	115	40	6	1

	부품	
	스크류	렌치
	DS 35A0881/HG-TS	DTDW-10P


90F...S0 12




90° 페이스 밀



New





규격	인서트	⊕	치수(mm)				중량(Kg)	장착부 볼트
			D	d	H	ap		
90F4-D50-22R-S012	SOMX 120508PEER-DM	4	50	22	40	7	0.31	SH M10X1.5X30
90F5-D63-22R-S012		5	63	22	40	7	0.43	SH M10X1.5X30
90F6-D80-27R-S012		6	80	27	50	7	1.13	SH M12X1.75X35
90F8-D100-32R-S012		8	100	32	50	7	1.81	SH M16X2X35
90F10-D125-40R-S012		10	125	40	63	7	3.23	SH M20X2.5X40

	부품	
	스크류	렌치
	 DS 40B100I-TS	 DTTW-15

90E...AP 16



90° 엔드 밀



규격	인서트	회전	치수(mm)				Fig.
			D	d	L	H	
90E02020W-AP16-L90	APKT 1604	1	20	20	90	32	1
90E02525W-AP16-L100		2	25	25	100	39	1
90E02525-AP16-L210		2	25	25	210	40	2
90E02625-AP16-L200		2	26	25	200	40	2
90E02625-AP16-L250		2	26	25	250	40	2
90E03232WF-AP16-L110		3	32	32	110	40	1
90E03232-AP16-L250		2	32	32	250	65	2
90E03332-AP16-L250		2	33	32	250	40	2
90E03332F-AP16-L250		3	33	32	250	55	2
90E03332-AP16-L300		2	33	32	300	40	2
90E03232W-AP16-L200		3	32	32	200	65	1
90E04032-AP16-L250		2	40	32	250	54	2
90E04032F-AP16-L200		3	40	32	200	54	2

	부품	
	스크류	렌치
90E02020 - 90E02525	 DS40085I-TS	 DTDW-15
90E02626 - 90E04032	 DS40120I-TS	 DTDW-15

