

12E...SD 06



고이송 밀링 (High Feed Mill)



NEW





Fig.1

규격	인서트		치수(mm)						중량 (Kg)	Fig.
			D	D1	H	d	L	APMX		
12E2-D16-16-SD06-L150	SDMT 0603-DM	2	16	6	40	16	150	0.8	0.21	1
12E2-D17-16-SD06-L150		2	17	7	20	16	150	0.8	0.22	1
12E2-D17-16-SD06-L200		2	17	7	20	16	200	0.8	0.3	1
12E3-D20-20-SD06-L150		3	20	10	50	20	150	0.8	0.32	1
12E3-D21-20-SD06-L150		3	21	11	20	20	150	0.8	0.35	1
12E3-D21-20-SD06-L200		3	21	11	20	20	200	0.8	0.46	1
12E4-D25-25-SD06-L200		4	25	15	60	25	200	0.8	0.69	1
12E3-D26-25-SD06-L200		3	26	16	20	25	200	0.8	0.74	1
12E4-D26-25-SD06-L200		4	26	16	20	25	200	0.8	0.74	1
12E5-D32-32-SD06-L250		5	32	22	120	32	250	0.8	1.39	1
12E4-D33-32-SD06-L250		4	33	23	20	32	250	0.8	1.51	1
12E5-D33-32-SD06-L250		5	33	23	20	32	250	0.8	1.51	1

	부품	
	스크류	렌치
	DS 25054I/HG-P-TS	DTDW-8P

• 램핑 프로그램 참고: 206 쪽

[illegible]

	부품	
	스크류	렌치
		
	DS 35D100I/HG-TS	DTDW-15

- 램핑 프로그램 참고: 207 쪽

10E...SD 10



고이송 밀링 (High Feed Mill)

NEW




Fig.1






Fig.2

규격	인서트		치수(mm)							중량 (Kg)	Fig.
			D	D1	d	H	L	ap			
10E2-D25-25-SD10-L150	SDMT 1004-DM	2	25	11.5	25	70	150	1.2	0.5	1	
10E3-D32-32-SD10-L160		3	32	18.5	32	70	160	1.2	0.8	1	
10E3-D32-32-SD10-L220		3	32	18.5	32	120	220	1.2	1	1	
10E4-D40-32-SD10-L180		4	40	26.5	32	40	180	1.2	1	2	
10E4-D40-32-SD10-L250		4	40	26.5	32	40	250	1.2	1.4	2	
			</								

	부품	
	스크류	렌치
	DS 35D100/HG-TS	DTDW-15

• 램핑 프로그램 참고: 207 쪽

[illegible]

부품	
스크류	렌치
	
DS 40120I-TS	DTTW-15

130